Name

Date

2.1

Energy Flow in Ecosystems

Textbook pages 56-67

Before You Read

In this section, you will explore food chains and food webs, as well as food pyramids. What are the main differences between a chain and a web? Record your ideas below.



In Your Own Words

Define the bold terms in this summary in your own words.

Reading Check

1. What are the different steps in a food chain called?

How does energy flow in an ecosystem?

Energy flow is the transfer of energy from one organism to another in an ecosystem. Every organism interacts with its ecosystem in two ways:

- 1. the organism obtains food energy from the ecosystem
- 2. the organism contributes energy to the ecosystem


How are energy flow and feeding relationships in ecosystems modelled?

Ecologists use three models to illustrate energy flow and feeding relationships in an ecosystem:

1. Food chains: Food chains show the flow of energy from plant to animal and from animal to animal. Plants are called **producers** because they "produce" food in the form of carbohydrates during photosynthesis. Consumers eat plants and other organisms. Each step in a food chain is called a **trophic level.** ✓

Trophic Level	Type of Organism	Energy Source	Example
1 st	primary producer	obtain energy from the Sun	grass, algae (plants)
2 nd	primary consumer	obtain energy from primary producers	grasshoppers, krill (herbivores)
3 rd	secondary consumer	obtain energy from primary consumers	frogs, crabs (carnivores)
4 th	tertiary consumer	obtain energy from secondary consumers	hawks, sea otters (top carnivores)

- **2.** Food webs: Many animals are part of more than one food chain in an ecosystem because they eat or are eaten by several organisms. Interconnected food chains are illustrated in a model called a **food web.** Animals that eat plants and other animals are called omnivores.
- 3. Food pyramids: A food pyramid (or ecological pyramid) is a model that shows the loss of energy from one trophic level to another. When one organism consumes another, the energy stored in the food organism is transferred to the consumer. However, not all of this energy is incorporated into the consumer's tissues. Between 80 and 90 percent of it is used for chemical reactions and is lost as heat. This means ecosystems can support fewer organisms at higher trophic levels, as less energy reaches these levels.



How do dead organisms contribute to energy flow?

Decomposition describes the breakdown of organic wastes and dead organisms. Energy is released in decomposition. When living organisms carry out decomposition, it is called **biodegradation**.

- ◆ **Detrivores**, such as small insects, earthworms, bacteria, and fungi, obtain energy and nutrients by eating dead plants and animals, as well as animal waste.
- ◆ **Decomposers**, such as bacteria and fungi, change wastes and dead organisms into nutrients that can once again be used by plants and animals.

Detrivores and decomposers feed at every trophic level.

Reading Check					
	What does a food pyramid demonstrate?				
-					
-					

Use with textbook pages 56-64.

Energy flow


Vocabulary	
biodegradation biomass	food webs photosynthesis
consumer	primary consumers
decomposers	primary producers
decomposition	secondary consumers
energy flow	tertiary consumers
food chains	trophic
food pyramids	

foo	od pyramids				
Us	e terms in the vocabulary box to fill in the blanks. Use each term only once.				
1.	refers to the total mass of living plants, animals, fungi, and bacteria in a given area.				
2.	2. The flow of energy from an ecosystem to an organism and from one organism to another is called				
3.	3. Plants are called producers because they "produce" food in the form of carbohydrates during				
4.	An insect, such as a bee, that feeds on a plant is called a				
5.	is the breaking down of organic wastes and dead organisms.				
6.	The action of living organisms, such as bacteria, to break down organic matter is called				
7.	change waste and dead organisms into usable nutrients.				
8.	and from animal to animal. Each step is called a level.				
9.	Plants and phytoplankton, such as algae, are at the first trophic level and are referred to as				
10.	obtain their energy from primary producers obtain their energy by eating primary consumers.				
11.	In the fourth trophic level are that feed on secondary consumers to obtain energy.				
12.	are models of the feeding relationships within an ecosystem show the loss of energy from one trophic level to another.				


Use with textbook pages 60-64.

Food chains, food webs, and food pyramids

Use the diagrams to help you answer the questions.



continued



- 7. What is a food pyramid?

 8. Which level of a food pyramid stores the most
- 9. Which level of a food pyramid stores the least amount of energy?

energy?

Use with textbook pages 58-64

Modelling a local ecosystem

Reflect on the plants and animals that exist in your local ecosystem.

- List 12 plants and animals. Remember to represent each of the trophic levels.
- 2. Organize four of these plants and animals into a food chain.

3. Using all 12 of the plants and animals, design a food web that illustrates the feeding relationships within your selected ecosystem.

4. Organize the plants and animals into a food pyramid that demonstrates the loss of energy as you move from one trophic level to the next.

Use with textbook pages 56-64.

Energy flow in ecosystems

Match each Term on the left with the best Descriptor on the right. Each Descriptor may only be used once.

De useu viice.				
Term	Descriptor			
1 biodegradation 2 consumers 3 decomposers 4 food chain 5 food pyramid 6 food web 7 producers 8 trophic levels	 A. a model that shows the flow of energy from plant to animal and from animal to animal B. organisms that produce food in the form of carbohydrates during photosynthesis C. the breaking down of dead organic matter by organisms, such as bacteria D. steps in a food chain that show feeding and niche relationships among organisms E. a model that shows the loss of energy from one trophic level to another F. an organism that eats other organisms G. a model of the feeding relationships within an ecosystem H. organisms that break down wastes and dead organisms and change them into usable nutrients 			

Circle the letter of the best answer.

- **9.** In a food chain, primary producers are usually:
 - **A.** amphibians
- **C.** mammals
- **B.** bacteria
- **D.** plants

- **10.** What product of photosynthesis supplies energy for life forms?
 - A. carbohydrates
 - **B.** carbon dioxide
 - C. oxygen
 - **D.** water
- **11.** Which of the following organisms are likely to be found in the third trophic level of a food chain?
 - A. algae
- C. grasshopper
- **B.** frog
- **D.** hawk
- **12.** Which of the following describes the process of biodegradation?
 - **A.** plants using photosynthesis to create food
 - **B.** primary consumers eating plants
 - **C.** bacteria breaking down organic matter
 - **D.** omnivores eating plants and animals
- **13.** In a food pyramid, how much energy is lost from trophic level to trophic level?
 - **A.** 20 %
- **C.** 70%
- **B.** 50 %
- **D.** 90%
- **14.** In a food pyramid:
 - **A.** as the trophic level decreases, the number of organisms supported by the ecosystem decreases
 - **B.** as the trophic level increases, the number of organisms supported by the ecosystem increases
 - **C.** as the trophic level increases, the number of organisms supported by the ecosystem decreases
 - **D.** as the trophic level decreases, the number of organisms supported by the ecosystem increases